Abel A, Michael A, Zartl A, Werner F: Impact of erosion-transported overburden dump materials on water quality in Lake Cospuden evolved from a former open cast lignite mine south of Leipzig, Germany 683
Abu-El-Sha'r WY, Gharaibeh SH, Al-Kofahi MM: Removal of selected heavy metals from aqueous solutions using a solid byproduct from the Jordanian oil shale refining 113
Abu-El-Sha'r WY, Gharaibeh SH, Mahmoud S: Removal of dyes from aqueous solutions using low-cost sorbents made of solid residues from olive-mill wastes (JEFT) and solid residues from refined Jordanian oil shale 1090
Acharyya SK, Lahiri S, Raymahashay BC, Bhowmik A: Arsenic toxicity of groundwater in parts of the Bengal basin in India and Bangladesh: the role of Quaternary stratigraphy and Holocene sea-level fluctuation 1127
Afşin M: Determination of the origin of the Helvadere drinking springs by means of hydrochemical and isotopic techniques, Aksaray, Central Anatolia, Turkey 1190
Akgün H, Doyuran V: Environmental geological investigations at the Van open dump site, southeastern Turkey 660
Al-Agha MR: Access to the coast and erosion control: use of wastes on local engineering works in the coast of Gaza City 405
Alaimo MG, Dongarrà G, Melati MR, Monna F, Varrica D: Recognition of environmental trace metal contamination using pine needles as bioindicators. The urban area of Palermo (Italy) 914
Al-Homoud AS, Al-Masri GA: CSEES: An expert system for analysis and design of cut slopes and embankments 75
Al-Homoud AS, Makinson C, Tal AB, Penman JG: In-situ geotechnical experimentation and stability evaluation of an instrumented 180 m × 70 m × 12.5 m fill dike constructed on laminated soft ground 177
Al-Homoud AS, Tahtamoni WW: SARETL: an expert system for probabilistic displacement-based dynamic 3-D slope stability analysis and remediation of earthquake triggered landslides 849
Amin AA: Geologic hazards along part of Al-Sayl-Alkabeir Al-Jammum road in Saudi Arabia 20
Ansari AA, Singh IB, Tobschall HJ: Role of monsoon rain on concentrations and dispersion patterns of metal pollutants in sediments and soils of the Ganga Plain, India 221
Apodaca LE, Driver NE, Bails JB: Occurrence, transport, and fate of trace elements, Blue River Basin, Summit County, Colorado: An integrated approach 901
Arkin Y, Gilat A: Dead Sea sinkholes – an ever-developing hazard 711
Babu KN, Ouseph PP, Padmalal D: Interstitial water – sediment geochemistry of N, P and Fe and its response to overlying waters of tropical estuaries: a case from the southwest coast of India 633
Barazzuoli P, Bouzelboudjen M, Cucini S, Kiraly L, Menicori P, Salleolini M: Olocenic alluvial aquifer of the River Cornia coastal plain (southern Tuscany, Italy): database design for groundwater management 123
Barton CD, Karathanasis AD: Renovation of a failed contructed wetland treating acid mine drainage 39
Bell FG, Maud RR: A groundwater survey of the greater Durban area and environs, Natal, South Africa 925
Bell FG, Maud RR: Landslides associated with the colluvial soils overlying the Natal Group in the greater Durban region of Natal, South Africa 1029
Bellehumeur C, Marcotte D, Legendre P: Estimation of regionalized phenomena by geostatistical methods: lake acidity on the Canadian Shield 211
Belousova AP: A concept of forming a structure of ecological indicators and indexes for regions suitainable development 1227
Berger K: Validation of the hydrologic evaluation of landfill performance (HELP) model for simulating the water balance of cover systems 1261
Bernstone C, Dahlin T, Ohlsson T, Hogland W: DC-resistivity mapping of internal landfill structures: two pre-excavation surveys 360
Birch GF, Robertson E, Taylor SE, McConchie DM: The use of sediments to detect human impact on the fluvial system 1015
Bocheńska T, Fiszer J, Kalisz M: Prediction of groundwater inflow into copper mines of the Lubin Głogów Copper District 587
Carrillo-Chávez A, Drever JI, Martínez M: Arsenic content and groundwater geochemistry of the San Antonio-El Triunfo, Carrizal and Los Planes aquifers in southernmost Baja California, Mexico 1295
Castro JM, Moore JN: Pit lakes: their characteristics and the potential for their remediation 1254
Chaulya SK, Chakraborty MK, Ahmad M, Singh KKK, Singh RS, Tewary BK, Gupta PK: Water resource accounting for an iron-ore mining area in India 1155
Chen JS, Wang FY, Li XD, Song JJ: Geographical variations of trace elements in sediments of the major rivers in eastern China 1334
Chen X: Measurement of streambed hydraulic conductivity and its anisotropy 1317
Chen Y, Zhu X, Zhu X, Jiang Y, Xie Q: Transformations and hydraulic captures of petrochemical contaminants in a karst-fractured aquifer 1304
Choubey VM, Bartarya SK, Ramola RC: Radon in Himalayan springs: a geohydrological control 523
Craw D, Chappell D, Reay A: Environmental mercury and arsenic sources in fossil hydrothermal systems, Northland, New Zealand 875
Cruz JV, Silva MO: Groundwater salinization in Pico Island (Azores, Portugal): origin and mechanisms 1181
Cuchí-Oterino JA, Rodríguez-Caro JB, García de la Noceda-Márquez C: Overview of hydrogeothermics in Spain 482
Datta DK, Gupta LP, Subramanian V: Dissolved fluoride in the Lower Ganges-Brahmaputra-Meghna River system in the Bengal Basin, Bangladesh 1163

Davis RA Jr, Welty AT, Borrego J, Morales JA, Pendon JG, Ryan JG: Rio Tinto estuary (Spain): 5000 years of pollution 1107
Dianfa Z, Fengquan L, Jianmin B: Eco-environmental effects of the Qinghai-Tibet Plateau uplift during the Quaternary in China 1352
Dianfa Z, Nianfeng L, Jie T: Formation mechanism of eco-geo-environmental hazards in the agro-pastoral interlocking zone of northern China 1385
Doerfliger N, Jeannin P-Y, Zwahlen F: Water vulnerability assessment in karst environments: a new method of defining protection areas using a multi-attribute approach and GIS tools (EPIK method) 165
Dold B: Rebuttal to: Experimental study of the stability of metals associated with iron oxyhydroxides precipitated in acid mine drainage, by S. Rose and A. M. Ghazi 823
Dowgiałło J: Introduction to the IAH-CMTW Special Issue 431
Dowgiałło J: Thermal water prospecting results at Jelenia Góra-Cieplice (Sudetes, Poland) versus geothermometric forecasts 433
Ekpo BO, Ibok UJ, Umoh ND: Geochemical evaluation of suitability of sites for hazardous waste disposal: a case study of recent and old waste-disposal sites in Calabar Municipality, SE Nigeria 1286
Farah EA, Mustafa EMA, Kumai H: Sources of groundwater recharge at the confluence of the Niles, Sudan 667
Favara R, Grassa F, Valenza M: Hydrochemical evolution and environmental features of Salso River catchment, central Sicily (Italy) 1205
Feng Q, Cheng GD, Masao MK: Trends of water resource development and utilization in arid north-west China 831
Feng X, Hong Y, Hong B, Ni J: Mobility of some potentially toxic trace elements in the coal of Guizhou, China 372
Forray FL, Hallbauer DK: A study of the pollution of the Aries River (Romania) using capillary electrophoresis as analytical technique 1372
Franko O, Franko J: Thermal waters of the Hornonitrianska kotlina depression and their utilization 501
Fritch TG, McKnight CL, Yelderman JC, Dworkin SI, Arnold JG: A predictive modeling approach to assessing the groundwater pollution susceptibility of the Paluxy Aquifer, Central Texas, using a Geographic Information System 1063
Gabrovšek F, Menne B, Dreybrodt W: A model of early evolution of karst conduits affected by subterranean CO_2 sources 531
Gäbler H-E, Schneider J: Assessment of heavy-metal contamination of floodplain soils due to mining and mineral processing in the Harz Mountains, Germany 774
Gasparon M, Burgess JS: Human impacts in Antarctica: trace-element geochemistry of freshwater lakes in the Larsemann Hills, East Antarctica 963
Ghomshei MM, Allen DM: Hydrochemical and stable isotope assessment of tailings pond leakage, Nickel Plate Mine, British Columbia 937
Ghomshei MM, Allen DM: Potential application of oxygen-18 and deuterium in mining effluent and acid rock drainage studies 767
Gogu RC, Dassargues A: Current trends and future challenges in groundwater vulnerability assessment using overlay and index methods 549
Grande JA, Borrego J, Morales JA: A study of heavy metal pollution in the Tinto-Odiel estuary in southwestern Spain using factor analysis 1095
Gurunadha Rao VVS, Dhar RL, Jayachand T, Khoker CS: Mass transport modelling for assessment of groundwater contamination around Mathura oil refinery, Mathura, Uttar Pradesh, India 1138
Gurunadha Rao VVS, Gupta SK: Mass transport of modelling to assess contamination of a water supply well in Sabarmati river bed aquifer, Ahmedabad City, India 893
Herch A: The thermal springs of Aachen/Germany – what Charlemagne didn't know 437
Huanxin W, Lejun Z, Presley BJ: Bioaccumulation of heavy metals in oyster (*Crassostrea virginica*) tissue and shell 1216
Huff DD: A 35-year history of ^{90}Sr releases from a radioactive-waste burial ground 1275
Iribar V, Izco F, Tames P, Antigüedad I, Silva da A: Water contamination and remedial measures at the Troya abandoned Pb-Zn mine (The Basque Country, Northern Spain) 800
Islam MdR, Lahermo P, Salminen R, Rojstaczer S, Peuraniemi V: Lake and reservoir water quality affected by metals leaching from tropical soils, Bangladesh 1083
Jang Y-S: Analysis of flow behavior in a landfill with cover soil of low hydraulic conductivity 292
Kayabali K, Mollamahmutoğlu M: The influence of hazardous liquid waste on the permeability of earthen liners 201
Kim CG, Clarke WP, Lockington D: Determination of retardation coefficients of sulfolane and thiolane on soils by K_{ow}–K_{oc} and solubility parameter, batch and column experiments 741
Kim CS, Schaible GD, Daberkow SG: An efficient cost-sharing program to reduce nonpoint-source contamination: theory and an application to groundwater contamination 649
Knight MA, Pasternack GB: Sources, input pathways, and distributions of Fe, Cu, and Zn in a Chesapeake Bay tidal freshwater marsh 1359
Kralj P, Kralj P: Thermal and mineral waters in north-eastern Slovenia 488
Kryza J, Staśko S: Groundwater flow rate and contaminant migration in fissure-karstic aquifer of Opole Triassic system southwest Poland 384
Kumar A, Patterson RT: Arcellaceans (thecamoebians): new tools for monitoring long- and short-term changes in lake bottom acidity 689

Lin Z, Puls RW: Adsorption, desorption and oxidation of arsenic affected by clay minerals and aging process 753
Liszewski M J, Rosentreter JJ, Miller KE, Bartholomay RC: Chemical and physical properties affecting strontium distribution coefficients of surficial-sediment samples at the Idaho National Engineering and Environmental Laboratory, Idaho 411
Liu Z, Zhao J: Contribution of carbonate rock weathering to the atmospheric CO_2 sink 1053
Lottermoser BG, Ashley PM, Lawie DC: Environmental geochemistry of the Gulf Creek copper mine area, north-eastern New South Wales, Australia 61
Mahler BJ, Lynch L, Bennett PC: Mobile sediment in an urbanizing karst aquifer: implications for contaminant transport 25
Mantajit N: Environmental geology in Thailand – programs and strategies 750
Marcantonio F, Flowers GC, Templin N: Lead contamination in a wetland watershed: isotopes as fingerprints of pollution 1070
Marszałek H, Wąsik M: Influence of arsenic-bearing gold deposits on water quality in Zloty Stok mining area (SW Poland) 888
Matschullat J, Ottenstein R, Reimann C: Geochemical background can we calculate it? 990
Mazari-Hiriart M, Hernández-Eugenio C, Rojo-Callejas F, Lozano-Santacruz R: Vertical variability of PCE sorption in the lacustrine clays of Mexiko City 595
McNeil VH, Cox ME: Relationship between conductivity and analysed composition in a large set of natural surface-water samples, Queensland, Australia 1325
Melioris L: Mineral and thermal waters of the Ipelská Pahorkatina hillyland 448
Miretzky P, Conzonno V, Fernandez-Cirelli A: Hydrochemistry of pampasic ponds in the lower stream bed of Salado River drainage basin, Argentina 951
Mizumura K, Kumagai Y, Tsutsui H, Nishimoto T, Yamamoto T: Geochemical analyses of geological layers and groundwater flows 1147
Mizumura K, Tagawa K, Yamamoto T: Seasonal changes of direction of sand movements on Kotogahama Coast 641
Moon J-W, Moon H-S, Woo N-C, Hahn J-S, Won J-S, Song Y, Lin X, Zhao Y: Evaluation of heavy metal contamination and implication of multiple sources from Hunchun basin, northeastern China 1039
Motyka J, Postawa A: Influence of contaminated Vistula River water on the groundwater entering the Zakrzówek limestone quarry, Cracow region, Poland 398
Mudd GM: Mound springs of the Great Artesian Basin in South Australia: a case study from Olympic Dam 463
Müller J, Ruppert H, Muramatsu Y, Schneider J: Reservoir sediments – a witness of mining and industrial development (Malter Reservoir, eastern Erzgebirge, Germany) 1341
Ngecu WM, Nyambok IO: Ground subsidence and its socio-economic implications on the population: a case study of the Nakuru area in Central Rift Valley, Kenya 567
Özler HM: Hydrogeology and geochemistry in the Curuksu (Denizli) hydrothermal field, western Turkey 1169
Paktunc AD: Mineralogical constraints on the determination of neutralization potential and prediction of acid mine drainage 103
Paseka AI, Iqbal MZ, Walters JC: Comparison of numerical simulation of solute transport with observed experimental data in a silt loam subsoil 977
Petrovský E, Kapička A, Jordanova N, Knab M, Hoffmann V: Low-field magnetic susceptibility: a proxy method of estimating increased pollution of different environmental systems 312
Prakash MR, Singh VS: Network design for groundwater monitoring – a case study 628
Preda M, Cox ME: Sediment–water interaction, acidity and other water quality parameters in a subtropical setting, Pimpama River, southeast Queensland 319
Pulido-Bosch A, Bensi S, Molina L, Vallejos A, Calaforra JM, Pulido-Leboeuf P: Nitrates as indicators of aquifer interconnection. Application to the Campo de Dalas (SE – Spain) 791
Puura E, Neretnieks I: Atmospheric oxidation of the pyritic waste rock in Maardu, Estonia, 2: an assessment of aluminosilicate buffering potential 560
Puura E, Neretnieks I, Kirsimäe K: Atmospheric oxidation of the pyritic waste rock in Maardu, Estonia. 1 field study and modelling 1
Raji BA, Alagbe SA: A topo-geochemical sequence study of groundwater in Asa drainage basin, Kwara State, Nigeria 544
Raju KK, Raju AN: Biogeochemical investigation in south eastern Andhra Pradesh: the distribution of rare earths, thorium and uranium in plants and soils 1102
Ramakrishna Reddy M, Janardhana Raju N, Venkatarami Reddy Y, Reddy TVK: Water resources development and management in the Cuddapah district, India 342
Reimann C, Filzmoser P: Normal and lognormal data distribution in geochemistry: death of a myth. Consequences for the statistical treatment of geochemical and environmental data 1001
Rognerud S, Hongve D, Fjeld E, Ottesen RT: Trace metal concentrations in lake and overbank sediments in southern Norway 723
Rosales-Hoz L, Carranza-Edwards A, Lopez-Hernandez M: Heavy metals in sediments of a large, turbid tropical lake affected by anthropogenic discharges 378
Salonen V-P, Varjo E: Gypsum treatment as a restoration method for sediments of eutrophied lakes – experiments from southern Finland 353
Samecka-Cymerman A, Kempers AJ: Background concentrations of heavy metals in aquatic bryophytes used for biomonitoring in basaltic areas (a case study from central France) 117
Schlüter K: Review: evaporation of mercury from soils. An integration and synthesis of current knowledge 249

Schneider JF, Rybach L: The first deep Quarternary groundwater capture in Switzerland: combined use and environmental benefits 144
Schulz HM, Emeis K-C: Sources and pathways of natural and anthropogenic hydrocarbons into the natural dump Arkona Basin (southern Baltic Sea) 839
Schwartz MO, Ploethner D: Removal of heavy metals from mine water by carbonate precipitation in the Grootfontein-Omatako canal, Namibia 1117
Sharma VK, Rhudy KB, Cargill JC, Tacker ME, Vazquez FG: Metals and grain size distributions in soil of the middle Rio Grande basin, Texas USA 698
Shevenell LA: Water quality in pit lakes in disseminated gold deposits compared to two natural, terminal lakes in Nevada 807
Sidle RC, Kamil I, Sharma A, Yamashita S: Stream response to subsidence from underground coal mining in central Utah 279
Siegel FR, Galasso JL, Kravitz JH, Basinger WD: The Svalbard western coast: site of baseline geochemistry and incipient contamination 816
Singh AK, Hasnain SI, Banerjee DK: Grain size and geochemical partitioning of heavy metals in sediments of the Damodar River – a tributary of the lower Ganga, India 90
Song X, Kayane I, Tanaka T, Shimada J: Conceptual model of the evolution of groundwater quality at the wet zone in Sri Lanka 149
Sprenke KF, Rember WC, Bender SF, Hoffmann ML, Rabbi F, Chamberlain VE: Toxic metal contamination in the lateral lakes of the Coeur d'Alene River valley, Idaho 575
Srinivasa Gowd S, Kotaiah B: Groundwater pollution by Cystine manufacturing industrial effluent around the factory 679
Suresh DS, Nandakumar V, John B, Jayaprasad BK, Pramod SV: Siltation analysis in the Neyyar reservoir and forest degradation in its catchment: a study from Kerala state, India 390
Sutherland RA: A comparison of geochemical information obtained from two fluvial bed sediment fractions 330
Sutherland RA: Bed sediment-associated trace metals in an urban stream, Oahu, Hawaii 611
Szava-Kovats RC: Comment on "Multivariate and principal component statistical analysis of contamination in Urban and agricultural soils from North Jordan" 1309
Taqieddin SA, Abderahman NS, Atallah M: Sinkhole hazards along the eastern Dead Sea shoreline area, Jordan: a geological and geotechnical consideration 1237
Thuy HTT, Tobschall HJ, An PV: Distribution of heavy metals in urban soils – a case study of Danang-Hoian Area (Vietnam) 603
Thuy HTT, Tobschall HJ, An PV: Trace element distributions in aquatic sediments of Danang – Hoian area, Vietnam 733
Umar R, Sami Ahmad M: Groundwater quality in parts of Central Ganga Basin, India 673
Uri ND: An evaluation of the economic benefits and costs of conservation tillage 238
Voronov AN: Some features of mineral waters in Russia 477
Wang G, Cheng G: The characteristics of water resources and the changes of the hydrological process and environment in the arid zone of northwest China 783
Weng H, Chen X: Impact of polluted canal water on adjacent soil and groundwater systems 945
Williams TM, Smith B: Hydrochemical characterization of acute acid mine drainage at Iron Duke mine, Mazowe, Zimbabwe 272
Williams TM, Weeks JM, Apostol Jr AN, Miranda CR: Assessment of mercury contamination and human exposure associated with coastal disposal of waste from a cinnabar mining operation, Palawan, Philippines 51
Zereen F, Islam F, Habíb MA, Begum DA, Zaman MS: Inorganic pollutants in the Padma River, Bangladesh 1059
Zhou W, Beck BF, Stephenson JB: Reliability of dipole-dipole electrical resistivity tomography for defining depth to bedrock in covered karst terranes 760
Zuber A, Grabczak J, Garlicki A: Catastrophic and dangerous inflows to salt mines in Poland as related to the origin of water determined by isotope methods 299

Research articles

A concept of forming a structure of ecological indicators and indexes for regions suitainable development: Belousova AP 1227
A model of early evolution of karst conduits affected by subterranean CO_2 sources: Gabrovšek F, Menne B, Dreybrodt W 531
A study of heavy metal pollution in the Tinto-Odiel estuary in southwestern Spain using factor analysis: Grande JA, Borrego J, Morales JA 1095
A topo-geochemical sequence study of groundwater in Asa drainage basin, Kwara State, Nigeria: Raji BA, Alagbe SA 544
Adsorption, desorption and oxidation of arsenic affected by clay minerals and aging process: Lin Z, Puls RW 753
An evaluation of the economic benefits and costs of conservation tillage: Uri ND 238
Assessment of heavy-metal contamination of floodplain soils due to mining and mineral processing in the Harz Mountains, Germany: Gäbler H-E, Schneider J 774
Atmospheric oxidation of the pyritic waste rock in Maardu, Estonia. 1 field study and modelling: Puura E, Neretnieks I, Kirsimäe K 1
Atmospheric oxidation of the pyritic waste rock in Maardu, Estonia, 2: an assessment of aluminosilicate buffering potential: Puura E, Neretnieks I 560
Background concentrations of heavy metals in aquatic bryophytes used for biomonitoring in basaltic areas (a case study from central France): Samecka-Cymerman A, Kempers AJ 117
Bioaccumulation of heavy metals in oyster (*Crassostrea virginica*) tissue and shell: Huanxin W, Lejun Z, Presley BJ 1216
Comparison of numerical simulation of solute transport with observed experimental data in a silt loam subsoil: Paseka AI, Iqbal MZ, Walters JC 977
Current trends and future challenges in groundwater vulnerability assessment using overlay and index methods: Gogu RC, Dassargues A 549
Dead Sea sinkholes – an ever-developing hazard: Arkin Y, Gilat A 711
Determination of retardation coefficients of sulfolane and thiolane on soils by K_{ow}–K_{oc} and solubility parameter, batch and column experiments: Kim CG, Clarke WP, Lockington D 741
Environmental geology in Thailand – programs and strategies: Mantajit N 750
Environmental mercury and arsenic sources in fossil hydrothermal systems, Northland, New Zealand: Craw D, Chappell D, Reay A 875
Estimation of regionalized phenomena by geostatistical methods: lake acidity on the Canadian Shield: Bellehumeur C, Marcotte D, Legendre P 211
Geochemical background can we calculate it?: Matschullat J, Ottenstein R, Reimann C 990
Geographical variations of trace elements in sediments of the major rivers in eastern China: Chen JS, Wang FY, Li XD, Song JJ 1334
Human impacts in Antarctica: trace-element geochemistry of freshwater lakes in the Larsemann Hills, East Antarctica: Gasparon M, Burgess JS 963
Hydrochemical evolution and environmental features of Salso River catchment, central Sicily (Italy): Favara R, Grassa F, Valenza M 1205
Lake and reservoir water quality affected by metals leaching from tropical soils, Bangladesh: Islam MdR, Lahermo P, Salminen R, Rojstaczer S, Peuraniemi V 1083
Landslides associated with the colluvial soils overlying the Natal Group in the greater Durban region of Natal, South Africa: Bell FG, Maud RR 1029
Measurement of streambed hydraulic conductivity and its anisotropy: Chen X 1317
Mineralogical constraints on the determination of neutralization potential and prediction of acid mine drainage: Paktunc AD 103
Normal and lognormal data distribution in geochemistry: death of a myth. Consequences for the statistical treatment of geochemical and environmental data: Reimann C, Filzmoser P 1001
Olocenic alluvial aquifer of the River Cornia coastal plain (southern Tuscany, Italy): database design for groundwater management: Barazzuoli P, Bouzelboudjen M, Cucini S, Kiraly L, Menicori P, Salleolini M 123
Potential application of oxygen-18 and deuterium in mining effluent and acid rock drainage studies: Ghomshei MM, Allen DM 767
Radon in Himalayan springs: a geohydrological control: Choubey VM, Bartarya SK, Ramola RC 523
Relationship between conductivity and analysed composition in a large set of natural surface-water samples, Queensland, Australia: McNeil VH, Cox ME 1325
Reliability of dipole-dipole electrical resistivity tomography for defining depth to bedrock in covered karst terranes: Zhou W, Beck BF, Stephenson JB 760
Removal of dyes from aqueous solutions using low-cost sorbents made of solid residues from olive-mill wastes (JEFT) and solid residues from refined Jordanian oil shale: Abu-El-Sha'r WY, Gharaibeh SH, Mahmoud S 1090
Removal of selected heavy metals from aqueous solutions using a solid byproduct from the Jordanian oil shale refining: Abu-El-Sha'r WY, Gharaibeh SH, Al-Kofahi MM 113
Reservoir sediments – a witness of mining and industrial development (Malter Reservoir, eastern Erzgebirge, Germany): Müller J, Ruppert H, Muramatsu Y, Schneider J 1341
Review: evaporation of mercury from soils. An integration and synthesis of current knowledge: Schlüter K 249
Role of monsoon rain on concentrations and dispersion patterns of metal pollutants in sediments and soils of the Ganga Plain, India: Ansari AA, Singh IB, Tobschall HJ 221
SARETL: an expert system for probabilistic displacement-based dynamic 3-D slope stability analysis and remediation of earthquake triggered landslides: Al-Homoud AS, Tahtamoni WW 849

Sources and pathways of natural and anthropogenic hydrocarbons into the natural dump Arkona Basin (southern Baltic Sea): Schulz HM, Emeis K-C 839
The influence of hazardous liquid waste on the permeability of earthen liners: Kayabali K, Mollamahmutoğlu M 201
The use of sediments to detect human impact on the fluvial system: Birch GF, Robertson E, Taylor SE, McConchie DM 1015
Trace element distributions in aquatic sediments of Danang – Hoian area, Vietnam: Thuy HTT, Tobschall HJ, An PV 733
Trace metal concentrations in lake and overbank sediments in southern Norway: Rognerud S, Hongve D, Fjeld E, Ottesen RT 723
Trends of water resource development and utilization in arid north-west China: Feng Q, Cheng GD, Masao MK 831

Cases and solutions

A comparison of geochemical information obtained from two fluvial bed sediment fractions: Sutherland RA 330
A groundwater survey of the greater Durban area and environs, Natal, South Africa: Bell FG, Maud RR 925
A predictive modeling approach to assessing the groundwater pollution susceptibility of the Paluxy Aquifer, Central Texas, using a Geographic Information System: Fritch TG, McKnight CL, Yelderman JC, Dworkin SI, Arnold JG 1063
A study of the pollution of the Aries River (Romania) using capillary electrophoresis as analytical technique: Forray FL, Hallbauer DK 1372
A 35-year history of ^{90}Sr releases from a radioactive-waste burial ground: Huff DD 1275
Access to the coast and erosion control: use of wastes on local engineering works in the coast of Gaza City: Al-Agha MR 405
An efficient cost-sharing program to reduce nonpoint-source contamination: theory and an application to groundwater contamination: Kim CS, Schaible GD, Daberkow SG 649
Analysis of flow behavior in a landfill with cover soil of low hydraulic conductivity: Jang Y-S 292
Arcellaceans (thecamoebians): new tools for monitoring long- and short-term changes in lake bottom acidity: Kumar A, Patterson RT 689
Arsenic content and groundwater geochemistry of the San Antonio-El Triunfo, Carrizal and Los Planes aquifers in southernmost Baja California, Mexico: Carrillo-Chávez A, Drever JI, Martínez M 1295
Arsenic toxicity of groundwater in parts of the Bengal basin in India and Bangladesh: the role of Quaternary stratigraphy and Holocene sea-level fluctuation: Acharyya SK, Lahiri S, Raymahashay BC, Bhowmik A 1127
Assessment of mercury contamination and human exposure associated with coastal disposal of waste from a cinnabar mining operation, Palawan, Philippines: Williams TM, Weeks JM, Apostol Jr AN, Miranda CR 51
Bed sediment-associated trace metals in an urban stream, Oahu, Hawaii: Sutherland RA 611
Biogeochemical investigation in south eastern Andhra Pradesh: the distribution of rare earths, thorium and uranium in plants and soils: Raju KK, Raju AN 1102
Catastrophic and dangerous inflows to salt mines in Poland as related to the origin of water determined by isotope methods: Zuber A, Grabczak J, Garlicki A 299
Chemical and physical properties affecting strontium distribution coefficients of surficial-sediment samples at the Idaho National Engineering and Environmental Laboratory, Idaho: Liszewski MJ, Rosentreter JJ, Miller KE, Bartholomay RC 411
Conceptual model of the evolution of groundwater quality at the wet zone in Sri Lanka: Song X, Kayane I, Tanaka T, Shimada J 149
Contribution of carbonate rock weathering to the atmospheric CO_2 sink: Liu Z, Zhao J 1053
CSEES: An expert system for analysis and design of cut slopes and embankments: Al-Homoud AS, Al-Masri GA 75
DC-resistivity mapping of internal landfill structures: two pre-excavation surveys: Bernstone C, Dahlin T, Ohlsson T, Hogland W 360
Determination of the origin of the Helvadere drinking springs by means of hydrochemical and isotopic techniques, Aksaray, Central Anatolia, Turkey: Afşin M 1190
Dissolved fluoride in the Lower Ganges-Brahmaputra-Meghna River system in the Bengal Basin, Bangladesh: Datta DK, Gupta LP, Subramanian V 1163
Distribution of heavy metals in urban soils – a case study of Danang-Hoian Area (Vietnam): Thuy HTT, Tobschall HJ, An PV 603
Eco-environmental effects of the Qinghai-Tibet Plateau uplift during the Quaternary in China: Dianfa Z, Fengquan L, Jianmin B 1352
Environmental geochemistry of the Gulf Creek copper mine area, north-eastern New South Wales, Australia: Lottermoser BG, Ashley PM, Lawie DC 61
Environmental geological investigations at the Van open dump site, southeastern Turkey: Akgün H, Doyuran V 660
Evaluation of heavy metal contamination and implication of multiple sources from Hunchun basin, northeastern China: Moon J-W, Moon H-S, Woo N-C, Hahn J-S, Won J-S, Song Y, Lin X, Zhao Y 1039
Formation mechanism of eco-geo-environmental hazards in the agro-pastoral interlocking zone of northern China: Dianfa Z, Nianfeng L, Jie T 1385
Geochemical analyses of geological layers and groundwater flows: Mizumura K, Kumagai Y, Tsutsui H, Nishimoto T, Yamamoto T 1147
Geochemical evaluation of suitability of sites for hazardous waste disposal: a case study of recent and old waste-disposal sites in Calabar Municipality, SE Nigeria: Ekpo BO, Ibok UJ, Umoh ND 1286
Geologic hazards along part of Al-Sayl-Alkabeir Al-Jammum road in Saudi Arabia: Amin AA 20

Grain size and geochemical partitioning of heavy metals in sediments of the Damodar River – a tributary of the lower Ganga, India: Singh AK, Hasnain SI, Banerjee DK 90
Ground subsidence and its socio-economic implications on the population: a case study of the Nakuru area in Central Rift Valley, Kenya: Ngecu WM, Nyambok IO 567
Groundwater flow rate and contaminant migration in fissure-karstic aquifer of Opole Triassic system southwest Poland: Kryza J, Staśko S 384
Groundwater pollution by Cystine manufacturing industrial effluent around the factory: Srinivasa Gowd S, Kotaiah B 679
Groundwater quality in parts of Central Ganga Basin, India: Umar R, Sami Ahmad M 673
Groundwater salinization in Pico Island (Azores, Portugal): origin and mechanisms: Cruz JV, Silva MO 1181
Gypsum treatment as a restoration method for sediments of eutrophied lakes – experiments from southern Finland: Salonen V-P, Varjo E 353
Heavy metals in sediments of a large, turbid tropical lake affected by anthropogenic discharges: Rosales-Hoz L, Carranza-Edwards A, Lopez-Hernandez M 378
Hydrochemical and stable isotope assessment of tailings pond leakage, Nickel Plate Mine, British Columbia: Ghomshei MM, Allen DM 937
Hydrochemical characterization of acute acid mine drainage at Iron Duke mine, Mazowe, Zimbabwe: Williams TM, Smith B 272
Hydrochemistry of pampasic ponds in the lower stream bed of Salado River drainage basin, Argentina: Miretzky P, Conzonno V, Fernandez-Cirelli A 951
Hydrogeology and geochemistry in the Curuksu (Denizli) hydrothermal field, western Turkey: Özler HM 1169
Impact of erosion-transported overburden dump materials on water quality in Lake Cospuden evolved from a former open cast lignite mine south of Leipzig, Germany: Abel A, Michael A, Zartl A, Werner F 683
Impact of polluted canal water on adjacent soil and groundwater systems: Weng H, Chen X 945
Influence of arsenic-bearing gold deposits on water quality in Zloty Stok mining area (SW Poland): Marszałek H, Wąsik M 888
Influence of contaminated Vistula River water on the groundwater entering the Zakrzówek limestone quarry, Cracow region, Poland: Motyka J, Postawa A 398
Inorganic pollutants in the Padma River, Bangladesh: Zereen F, Islam F, Habíb MA, Begum DA, Zaman MS 1059
In-situ geotechnical experimentation and stability evaluation of an instrumented 180 m × 70 m × 12.5 m fill dike constructed on laminated soft ground: Al-Homoud AS, Makinson C, Tal AB, Penman JG 177
Interstitial water – sediment geochemistry of N, P and Fe and its response to overlying waters of tropical estuaries: a case from the southwest coast of India: Babu KN, Ouseph PP, Padmalal D 633
Lead contamination in a wetland watershed: isotopes as fingerprints of pollution: Marcantonio F, Flowers GC, Templin N 1070
Low-field magnetic susceptibility: a proxy method of estimating increased pollution of different environmental systems: Petrovský E, Kapička A, Jordanova N, Knab M, Hoffmann V 312
Mass transport modelling for assessment of groundwater contamination around Mathura oil refinery, Mathura, Uttar Pradesh, India: Gurunadha Rao VVS, Dhar RL, Jayachand T, Khoker CS 1138
Mass transport of modelling to assess contamination of a water supply well in Sabarmati river bed aquifer, Ahmedabad City, India: Gurunadha Rao VVS, Gupta SK 893
Metals and grain size distributions in soil of the middle Rio Grande basin, Texas USA: Sharma VK, Rhudy KB, Cargill JC, Tacker ME, Vazquez FG 698
Mineral and thermal waters of the Ipelská Pahorkatina hillyland: Melioris L 448
Mobile sediment in an urbanizing karst aquifer: implications for contaminant transport: Mahler BJ, Lynch L, Bennett PC 25
Mobility of some potentially toxic trace elements in the coal of Guizhou, China: Feng X, Hong Y, Hong B, Ni J 372
Mound springs of the Great Artesian Basin in South Australia: a case study from Olympic Dam: Mudd GM 463
Network design for groundwater monitoring – a case study: Prakash MR, Singh VS 628
Nitrates as indicators of aquifer interconnection. Application to the Campo de Dalas (SE – Spain): Pulido-Bosch A, Bensi S, Molina L, Vallejos A, Calaforra JM, Pulido-Leboeuf P 791
Occurrence, transport, and fate of trace elements, Blue River Basin, Summit County, Colorado: An integrated approach: Apodaca LE, Driver NE, Bails JB 901
Overview of hydrogeothermics in Spain: Cuchí-Oterino JA, Rodríguez-Caro JB, García de la Noceda-Márquez C 482
Pit lakes: their characteristics and the potential for their remediation: Castro JM, Moore JN 1254
Prediction of groundwater inflow into copper mines of the Lubin Głogów Copper District: Bocheńska T, Fiszer J, Kalisz M 587
Recognition of environmental trace metal contamination using pine needles as bioindicators. The urban area of Palermo (Italy): Alaimo MG, Dongarrà G, Melati MR, Monna F, Varrica D 914
Removal of heavy metals from mine water by carbonate precipitation in the Grootfontein-Omatako canal, Namibia: Schwartz MO, Ploethner D 1117
Renovation of a failed contructed wetland treating acid mine drainage: Barton CD, Karathanasis AD 39
Rio Tinto estuary (Spain): 5000 years of pollution: Davis RA Jr, Welty AT, Borrego J, Morales JA, Pendon JG, Ryan JG 1107
Seasonal changes of direction of sand movements on Kotogahama Coast: Mizumura K, Tagawa K, Yamamoto T 641
Sediment–water interaction, acidity and other water quality parameters in a subtropical setting, Pimpama River, southeast Queensland: Preda M, Cox ME 319

Siltation analysis in the Neyyar reservoir and forest degradation in its catchment: a study from Kerala state, India: Suresh DS, Nandakumar V, John B, Jayaprasad BK, Pramod SV 390
Sinkhole hazards along the eastern Dead Sea shoreline area, Jordan: a geological and geotechnical consideration: Taqieddin SA, Abderahman NS, Atallah M 1237
Some features of mineral waters in Russia: Voronov AN 477
Sources, input pathways, and distributions of Fe, Cu, and Zn in a Chesapeake Bay tidal freshwater marsh: Knight MA, Pasternack GB 1359
Sources of groundwater recharge at the confluence of the Niles, Sudan: Farah EA, Mustafa EMA, Kumai H 667
Stream response to subsidence from underground coal mining in central Utah: Sidle RC, Kamil I, Sharma A, Yamashita S 279
The characteristics of water resources and the changes of the hydrological process and environment in the arid zone of northwest China: Wang G, Cheng G 783
The first deep Quarternary groundwater capture in Switzerland: combined use and environmental benefits: Schneider JF, Rybach L 144
The Svalbard western coast: site of baseline geochemistry and incipient contamination: Siegel FR, Galasso JL, Kravitz JH, Basinger WD 816
The thermal springs of Aachen/Germany – what Charlemagne didn't know: Herch A 437
Thermal and mineral waters in north-eastern Slovenia: Kralj P, Kralj P 488
Thermal water prospecting results at Jelenia Góra-Cieplice (Sudetes, Poland) versus geothermometric forecasts: Dowgiałło J 433
Thermal waters of the Hornonitrianska kotlina depression and their utilization: Franko O, Franko J 501
Toxic metal contamination in the lateral lakes of the Coeur d'Alene River valley, Idaho: Sprenke KF, Rember WC, Bender SF, Hoffmann ML, Rabbi F, Chamberlain VE 575
Transformations and hydraulic captures of petrochemical contaminants in a karst-fractured aquifer: Chen Y, Zhu X, Zhu X, Jiang Y, Xie Q 1304
Validation of the hydrologic evaluation of landfill performance (HELP) model for simulating the water balance of cover systems: Berger K 1261
Vertical variability of PCE sorption in the lacustrine clays of Mexiko City: Mazari-Hiriart M, Hernández-Eugenio C, Rojo-Callejas F, Lozano-Santacruz R 595
Water contamination and remedial measures at the Troya abandoned Pb-Zn mine (The Basque Country, Northern Spain): Iribar V, Izco F, Tames P, Antigüedad I, Silva da A 800
Water quality in pit lakes in disseminated gold deposits compared to two natural, terminal lakes in Nevada: Shevenell LA 807
Water resource accounting for an iron-ore mining area in India: Chaulya SK, Chakraborty MK, Ahmad M, Singh KKK, Singh RS, Tewary BK, Gupta PK 1155
Water resources development and management in the Cuddapah district, India: Ramakrishna Reddy M, Janardhana Raju N, Venkatarami Reddy Y, Reddy TVK 342
Water vulnerability assessment in karst environments: a new method of defining protection areas using a multi-attribute approach and GIS tools (EPIK method): Doerfliger N, Jeannin P-Y, Zwahlen F 165

Rebuttal

Rebuttal to: Experimental study of the stability of metals associated with iron oxyhydroxides precipitated in acid mine drainage, by S. Rose and A. M. Ghazi: Dold B 823

Editorial

Introduction to the IAH-CMTW Special Issue: Dowgiałło J 431

Comment

Comment on "Multivariate and principal component statistical analysis of contamination in Urban and agricultural soils from North Jordan": Szava-Kovats RC 1309

Views and news

516, 705, 1197, 1311, 1391

Book reviews

99, 427, 517, 825, 958, 1077, 1200, 1311, 1391

Events

100, 197, 428, 519, 707, 826, 959, 1079, 1202, 1314, 1392